



chemise • zylinderlaufbuchse
χιτωνίου • canna • camisas

ULTIMATE PRO PERFORMANCE LINERS


CATALOGUE CL01

20
20

13
14




MAX PRO
PERFORMANCE
PISTON RINGS











1	BEDFORD
2	CATERPILLAR
3	CUMMINS
5	DAF
7	DEUTZ / KHD
11	FIAT / IVECO
21	FORD
24	HINO
26	HANOMAG
27	IFA
28	IHC
30	ISUZU
32	JOHN DEERE
34	KAMAZ
35	KIA
36	KOMATSU
37	LEYLAND
40	LISTER
41	MAN
47	MAZDA
48	MERCEDES-BENZ
54	mitsubishi
56	MWM
59	NISSAN
61	PEGASO
62	PERKINS
66	RVI
70	SCANIA
73	STEYR
75	TATRA
76	UTB
77	VM
78	VOLVO
84	ZETOR



INDEX





CATALOGUE CLO1
2013-2014




220, 330. J330-5					
Description		Ø		O-Ring	Note
	A	107.95	103.19	CL.150-103-19	069 WV 03
	C	111.13			
	F				
	H	4.76			
	L	216.30			
	R				





980 B						
Description			Ø		O-Ring	Note
	A	134.35	120.65	CL.080-120-65	4	127 WN 07
	C	142.87				
	F	1.02				
	H	10.28				
	L	253.88				
	R					
	A	134.35	120.65	CL.081-120-65	4	
	C	142.87				
	F	1.02				
	H	10.28				
	L	254.90				
	R					
D 3408, D 3412						
	A	153.55	137.16	CL.080-137-16		
	C	165.20				
	F	1.00				
	H	8.88				
	L	274.00				
	R					
D 342 C, D 364, D 375 D. D 386, D 397, D 397 D						
	A	168.30	146.05	CL.080-146-05	4	
	C	177.40				
	F	1.00				
	H	12.70				
	L	382.50				
	R					






4 BT, 6 BT, 6 BT A						
Description			Ø		O-Ring	Note
	A	104.57	102.00	CL-090-102-00		286 WV 02
	C					
	F					
	H					
	L	200.20				
	R					
	A	106.07	102.00	CL-091-102-00		
	C	109.00				
	F	0.80				
	H	4.05				
	L	204.80				
	R					
6 CT, 6 CTA						
	A	125.69	114.00	CL-090-114-00		
	C	133.00				
	F	1.25				
	H	123.06				
	L	237.12				
	R					
L 10, LT 10, LTA 10						
	A	137.96	125.00	CL-090-125-00		
	C	145.97				
	F	1.25				
	H	131.25				
	L	241.40				
	R					





NH 220, NH 200, NH 205, R 6						
Description			Ø		O-Ring	Note
	A	145.45	130.18	CL-090-130-18		
	C	155.63				
	F	1.78				
	H	11.15				
	L	303.50				
	R					
NT 855, NT 280, NYA 885						
	A	155.48	139.70	CL-090-139-70		
	C	166.75				
	F	1.75				
	H	9.02				
	L	288.15				
	R					





CD 85, CN 95, CS 119						
Description			Ø		O-Ring	Note
	A	104.57	102.00	CL.180-102-00		286 WV 02
	C					
	F					
	H					
	L	200.20				
	R					
NT, FA SERIES						
	A	109.01	104.17	CL.180-114-17		213 WT 01
	C	117.00				
	F					
	H	8.05				
	L	239.00				
	R					
	A	109.27	104.17	CL.181-114-17		213 WT 07
	C	117.05				
	F					
	H	8.10				
	L	239.00				
	R					
FT, FM SERIES						
	A	123.50	118.00	CL.180-118-00		213 WT 12
	C	133.98				
	F					
	H	10.05				
	L	262.00				
	R					





DKB 1160, LT, WS, XF						
Description			Ø		O-Ring	Note
	A	136.02	130.00	CL.180-130-00		213 WT 03
	C	143.60				
	F					
	H	10.00				
	L	288.50				
	R					
	A	136.26				213 WT 05
	C	143.60				
	F					
	H	10.00				
	L	288.50				
	R					
	A	136.51				213 WT 11
	C	143.60				
	F					
	H	10.00				
	L	288.50				
	R					






BF, F 2 3 4 6 SERIES						
Description			Ø		O-Ring	Note
	A	98.50	94.00	CL.070-094-00		099 WT 27
	C	102.50				
	F					
	H	5.00				
	L	196.00				
	R					
FL 612, FL 712, FL 812 D						
	A	105.00	95.00	CL.070-095-00		
	C	115.00				
	F					
	H	132.60				
	L	215.00				
	R					
FL 511 D, FL 911 D, FL 912 D, FL 912 W						
	A	109.85	100.00	CL.070-100-00		099 WR 20
	C	120.00				
	F					
	H	118.90				
	L	186.00				
	R					
	A	110.00	100.00	CL.071-100-00		099 WR 28
	C	120.00				
	F					
	H	136.80				
	L	222.30				
	R					






FL 511 D, FL 911 D, FL 912 D, FL 912 W						
	A	110.00	100.00	CL-072-100-00		
	C	120.00				
	F					
	H	137.30				
	L	222.60				
	R					
BFL 913, BFL 913 C, BFL 913 T, FL 912 F, FL 912 W, FL 913						
	A	110.00	102.00	CL-070-102-00		099 WR 27
	C	124.50				
	F					
	H	134.90				
	L	220.40				
	R					
	A	110.00	102.00	CL-071-102-00		099 WR 29
	C	120.00				
	F					
	H	136.80				
	L	222.50				
	R					
BFM 1013, BFM 1013 C, BFM 1013 CP, BFM 1013 CP						
	A	120.00	108.00	CL-070-108-00		101 WN 16
	C	128.50				
	F	1.10				
	H	9.00				
	L	229.10				
	R					
	A	120.00	108.00	CL-071-108-00		
	C	131.70				
	F					
	H	8.06				
	L	228.00				
	R					






FL 514, FL 614					
Description		Ø		O-Ring	Note
	A	130.00	110.00	CL-070-110-00	101 WT 02
	C	140.00			
	F	7.10			
	H	162.55			
	L	274.55			
	R				
BFL 413, FA 714, FL 413, FL 413 L, FL 413 W, FL 714					
	A	134.00	120.00	CL.070-120-00	101 WR 09
	C	145.00			
	F				
	H	169.90			
	L	255.40			
	R				
BFL 413 F, BFL 413 FW, BFL 513, BFL 513 C, FL 413 F, FL 413 FR, FL 413 FRW, FL 513 F					
	A	139.00	125.00	CL.070-125-00	101 WR 21
	C	150.00			
	F				
	H	169.50			
	L	250.80			
	R				
	A	139.00	125.00	CL.071-125-00	101 WR 23
	C	154.00			
	F				
	H	169.50			
	L	250.80			
	R				






BFL 513, FL 513 L, FL 513 T, FL 513						
Description			Ø		O-Ring	Note
	A	139.00	128.00	CL.070-128-00		101 WR 12
	C	154.00				
	F					
	H	169.70				
	L	250.40				
	R					
BF 6 M 1015						
	A	147.00	132.00	CL.070-132-00		101 WN 24
	C	158.00				
	F	1.25				
	H	9.00				
	L	268.50				
	R					
BFM 716, FM 716						
	A	154.00	135.00	CL.070-135-00		099 WN 17
	C	167.00				
	F	0.70				
	H	11.50				
	L	322.00				
	R					
AM 816, BAM 816						
	A	160.00	142.00	CL.070-142-00		099 WN 19
	C	174.90				
	F	1.20				
	H	12.10				
	L	317.00				
	R					





93.00 MM						
Description			Ø		O-Ring	Note
	A	96.00	93.00	CL.060-093-00		007 WV 46
	C	98.90				
	F					
	H	5.00				
	L	171.00				
	R					
	A	96.00	93.00	CL.061-093-00		007 WN 43
	C	98.90				
	F					
	H	5.00				
	L	167.30				
	R					
94.40 MM						
	A	97.53	94.40	CL.060-094-40		007 WV 56
	C	100.88				
	F					
	H	5.00				
	L	167.00				
	R					
95.00 MM						
	A	99.00	95.00	CL.060-095-00		007 WV 07
	C					
	F					
	H					
	L	187.00				
	R					





95.00 MM						
Description			Ø		O-Ring	Note
	A	99.10	95.00	CL.061-095-00		
	C					
	F					
	H					
	L	187.00	95.00	CL.062-095-00		
	R					
	A	103.07	95.00	CL.063-095-00		
	C					
	F					
	H					
	L	187.00				
	R					
	A	106.00	95.00	CL.064-095-00		
	C					
	F					
	H					
	L	187.00				
	R					
100.00 MM						
	A	103.00	100.00	CL.060-100-00		007 WV 09
	C					
	F					
	H					
	L	187.50				
	R					
	A	103.50	100.00	CL.061-100-00		007 WV 10
	C					
	F					
	H					
	L	187.50				
	R					





100.00 MM						
Description			Ø		O-Ring	Note
	A	103.08	100.00	CL.062-100-00		007 WV 64
	C					
	F					
	H					
	L	187.50				
	R					
	A	103.20	100.00	CL.063-100-00		007 WV 65
	C					
	F					
	H					
	L	187.50				
	R					
	A	103.00	100.00	CL.064-100-00		007 WV 47
	C					
	F					
	H					
	L	196.00				
	R					
	A	103.10	100.00	CL.064-100-00		
	C					
	F					
	H					
	L	196.00				
	R					
	A	103.07	100.00	CL.065-100-00		
	C	107.00				
	F					
	H	5.00				
	L	187.00				
	R					






103.00 MM						
Description			Ø		O-Ring	Note
	A	107.00	103.00	CL.060-103-00		007 WV 40
	C					
	F					
	H					
	L	187.50				
	R					
	A	107.08	103.00	CL.061-103-00		007 WV 61
	C					
	F					
	H					
	L	187.50				
	R					
	A	107.50	103.00	CL.062-103-00		007 WV 63
	C					
	F					
	H					
	L	187.50				
	R					
	A	107.07	103.00	CL.063-103-00		
	C	110.00				
	F					
	H	5.00				
	L	187.00				
	R					
104.00 MM						
	A	107.00	104.00	CL.060-104-00		007 WV 48
	C					
	F					
	H					
	L	198.00				
	R					


104.00 MM						
Description			Ø		O-Ring	Note
	A	107.00	104.00	CL.061-104-00		007 WV 49
	C	109.80				
	F					
	H	5.00				
	L	198.00				
	R					
	A	107.10	104.00	CL.062-104-00		
	C					
	F					
	H					
	L	198.00				
	R					
	A	107.25	104.00	CL.063-104-00		
	C					
	F					
	H					
	L	198.00				
	R					
	A	107.50	104.00	CL.064-104-00		
	C					
	F					
	H					
	L	198.00				
	R					
	A	107.07	104.00	CL.065-104-00		
	C	110.00				
	F					
	H	5.00				
	L	198.00				
	R					





110.00 MM						
Description			Ø		O-Ring	Note
	A	118.00	110.00	CL.060-110-00		
	C	129.50				
	F	1.00				
	H	170.00				
	L	236.00				
	R					
	A	118.00	110.00	CL.061-110-00		
	C	129.50				
	F	1.00				
	H	170.00				
	L	235.00				
	R					
115.00 MM						
	A	122.00	115.00	CL.060-115-00		233 WN 09
	C	129.70				
	F					
	H	167.00				
	L	235.50				
	R					
	A	122.00	115.00	CL.061-115-00		
	C	129.70				
	F					
	H	167.00				
	L	215.00				
	R					





120.00 MM						
Description			Ø		O-Ring	Note
	A	134.00	120.00	CL.060-120-00		007 WN 45
	C	144.80				
	F	1.00				
	H	10.00				
	L	249.25				
	R					
122.00 MM						
	A	128.00	122.00	CL.060-122-00		007 WT 13
	C	132.00				
	F					
	H	6.00				
	L	252.00				
	R					
125.00 MM						
	A	140.00	125.00	CL.060-125-00		007 WN 74
	C	150.60				
	F					
	H	9.96				
	L	239.00				
	R					
	A	131.60	125.00	CL.061-125-00		
	C	152.00				
	F					
	H	215.00				
	L	305.00				
	R					





125.00 MM						
Description			Ø		O-Ring	Note
	A	130.02	125.00	CL.062-125-00		
	C	136.00				
	F					
	H	6.00				
	L	252.00				
	R					
	A	141.00	125.00	CL.063-125-00		
	C	150.60				
	F	1.20				
	H	9.96				
	L	239.00				
	R					
130.00 MM						
	A	136.00	130.00	CL.060-130-00		007 WT 57
	C					
	F					
	H					
	L	282.00				
	R					
	A	136.10	130.00	CL.061-130-00		
	C					
	F					
	H					
	L	282.00				
	R					





135.00 MM						
Description			Ø		O-Ring	Note
	A	151.00	135.00	CL.060-135-00		
	C	161.60				
	F	1.20				
	H	9.96				
	L	254.00				
	R					
137.00 MM						
	A	143.03	137.00	CL.060-137-00		007 WT 24
	C	147.00				
	F					
	H	6.00				
	L	282.00				
	R					
	A	143.08	137.00	CL.061-137-00		007 WT 25
	C	147.00				
	F					
	H	6.00				
	L	282.00				
	R					
	A	143.28	137.00	CL.062-137-00		007 WT 26
	C	147.00				
	F					
	H	6.00				
	L	282.00				
	R					
	A	143.14	137.00	CL.063-137-00		007 WT 59
	C	147.00				
	F					
	H	6.00				
	L	282.00				
	R					



135.00 MM					
Description		Ø		O-Ring	Note
	A 158.50	145.00	CL.060-145-00		007 WN 27
	C 174.00				
	F 0.90				
	H 10.00				
	L 262.00				
	R				



592 E					
Description		Ø		O-Ring	Note
	A	111.76	100.00	CL.090-100-00	2
	C	120.00			
	F	0.65			
	H	11.16			
	L	223.00			
	R				
	A	109.60	100.00	CL.091-100-00	2
	C	117.60			
	F	0.80			
	H	11.20			
	L	223.00			
	R				
D SERIES					
	A	108.80	104.77	CL.090-104-77	
	C				
	F				
	H				
	L	219.00			
	R				
	A	109.37	104.77	CL.091-104-77	
	C	113.00			
	F				
	H	5.00			
	L	220.00			
	R				




6Y SERIES						
Description			Ø		O-Ring	Note
	A	110.80	106.69	CL.090-106-69		
	C	114.00				
	F					
	H	5.00				
	L	209.55				
	R					
Description			Ø		O-Ring	Note
	A	110.80	106.69	CL.091-106-69		
	C					
	F					
	H					
	L	209.55				
	R					
CARGO 0607						
	A	111.30	107.21	CL.090-107-21		
	C					
	F					
	H					
	L	213.00				
	R					
	A	112.00	107.21	cl.091-107-21		
	C					
	F					
	H					
	L	213.00				
	R					





7A SERIES						
Description			Ø		O-Ring	Note
	A	114.43	111.76	CL.040-111-76		014 WV 06
	C	120.35				
	F					
	H	2.60				
	L	208.30				
	R					
	A	118.17	111.76	CL.041-111-76		014 WV 12
	C	123.73				
	F					
	H	4.74				
	L	209.70				
	R					
	A	116.00	111.76	CL.042-111-76		
	C	120.35				
	F					
	H	2.60				
	L	208.50				
	R					
	A	117.00	111.76	CL.043-111-76		
	C	121.00				
	F					
	H	5.00				
	L	208.50				
	R					

B SERIES						
Description			Ø		O-Ring	Note
	A	99.00	95.00	CL.240-095-00		
	C	104.65				
	F					
	H	5.00				
	L	190.22				
	R					
	A	102.00	95.00	CL.241-095-00		
	C	107.75				
	F	1.20				
	H	2.55				
	L	190.22				
	R					
3B/3BK						
	A	106.00	102.00	CL.240-102-00		
	C	111.65				
	F	1.19				
	H	2.51				
	L	190.25				
	R					
EF 700						
	A	113.00	110.00	CL.240-110-00		
	C	117.86				
	F	0.80				
	H	8.10				
	L	204.00				
	R					


EF-750, WF-750T						
Description			Ø		O-Ring	Note
	A	151.00	137.00	CL.240-137-00		
	C	165.00				
	F	0.80				
	H	12.12				
	L	248.00				
	R					
EF-750T						
	A	154.00	139.00	CL.240-139-00		
	C	166.00				
	F	1.00				
	H	12.00				
	L	248.00				
	R					





K7B						
Description			Ø		O-Ring	Note
	A	133.00	120.00	CL.530-120-00	2	055 WN 07
	C	146.00				
	F	0.30				
	H	12.10				
	L	285.30				
	R					
B11C, B44C, C44						
Description			Ø		O-Ring	Note
	A	144.00	128.00	CL.530-128-00	4	055 WN 08
	C	151.80				
	F	1.15				
	H	12.10				
	L	278.00				
	R					



MULTICAR					
Description				O-Ring	Note
	A	100.01	85.00	CL.130-085-00	530 WN 03
	C	112.00			
	F	1.10			
	H	8.62			
	L	166.00			
	R				
4VD14.5					
	A	134.50	120.00	CL.130-120-00	530 WN 05
	C	140.00			
	F	1.00			
	H	10.05			
	L	287.00			
	R				
E 517					
	A	140.00	125.00	CL.130-125-00	530 WN 04
	C	152.00			
	F	1.00			
	H	12.05			
	L	287.50			
	R				





D323, D324S, D326, D8-62						
Description			Ø		O-Ring	Note
	A	95.25	87.31	CL.260-087-31	1	089 WN 04
	C	104.00				
	F	5.77				
	H	179.40				
	L					
	R					
BD-154						
	A	93.69	88.90	CL.260-088-90	1	089 WN 08
	C	101.50				
	F					
	H	5.77				
	L	185.70				
	R					
D-155, D-206, D-310						
	A	110.75	98.42	CL.260-098-42		089 WN 17
	C	119.00				
	F	1.10				
	H	7.70				
	L	201.10				
	R					
	A	110.75	98.42	CL.261-098-42		089 WN 16
	C	119.00				
	F	1.10				
	H	7.70				
	L	216.10				
	R					


D-246, D-268, DT-402


Description			Ø		O-Ring	Note
	A	111.40	100.00	CL.260-100-00		089 WN 18
	C	119.00				
	F	1.10				
	H	7.70				
	L	216.10				
	R					



GEMINI 1.5 D			Ø		O-Ring	Note
	A	80.00	76.00	CL.270-076-00		
	C					
	F					
	H					
	L	138.00				
	R					
ELF 150						
	A	90.15	86.00	CL.270-086-00		
	C	94.00				
	F					
	H	4.00				
	L	178.50				
	R					
CAMPO 2.2 D, TROOPER 2.2 D						
	A	92.00	88.00	CL.270-088-00		629 WV 09
	C					
	F					
	H					
	L	163.50				
	R					
	A	92.15	88.00	CL.271-088-00		
	C	95.00				
	F					
	H	4.00				
	L	163.50				
	R					




TFR/TFS						
Description			Ø		O-Ring	Note
	A	96.50	93.00	CL.270-093-00		629 WV 11
	C	102.00				
	F					
	H	4.00				
	L	181.00				
	R					
ELF 250, ELF 350						
	A	105.10	102.00	CL.270-102-00		
	C	112.00				
	F					
	H	4.00				
	L	204.00				
	R					





310, 510						
Description			Ø		O-Ring	Note
	A	107.60	98.00	CL.290-098-00	3	225 WN 01
	C	123.00				
	F	0.75				
	H	6.00				
	L	197.00				
	R					
	A	107.60	98.00	CL.291-098-00	3	225 WN 05
	C	123.00				
	F	0.75				
	H	6.00				
	L	197.00				
	R					
4219 DL 01, 4219 DL 03, 6329 DL 03						
	A	111.00	102.00	CL.290-102-00	3	225 WN 04
	C	125.00				
	F	0.82				
	H	6.05				
	L	197.00				
	R					
4219 DL 01, 4219 DL 03, 6329 DL 03						
	A	115.70	106.50	CL.290-106-50	3	225 WN 03
	C	126.00				
	F	0.82				
	H	6.05				
	L	197.00				
	R					





466 CID, 6076 A, 6076 H, 6076 T						
Description			Ø		O-Ring	Note
	A	125.15	115.90	CL.290-115-90		
	C	135.10				
	F	1.20				
	H	8.20				
	L	232.60				
	R					



OM314, OM352					
Description		Ø		O-Ring	Note
	A 134.00	120.00	CL.300-120-00		452 WN 03
	C 146.00				
	F 1.30				
	H 10.30				
	L 224.00				
	R				



BESTA BOX 2.2 D						
Description			Ø		O-Ring	Note
	A	90.00	86.00	CL.310-086-00		
	C	94.00				
	F					
	H	5.00				
	L	180.00				
	R					
	A	90.00	86.00	CL.311-086-00		
	C	94.00				
	F					
	H	5.00				
	L	165.00				
	R					





D105, 6D105					
Description		Ø		O-Ring	Note
	A	118.68	105.00	CL.100-105-00	
	C	127.10			
	F	0.90			
	H	10.10			
	L	223.00			
D130					
	A	145.90	130.00	CL.100-130-00	
	C	155.60			
	F	0.95			
	H	13.15			
	L	292.80			
D130					
	A	175.96	155.00	CL.100-155-00	
	C	185.66			
	F	1.50			
	H	14.15			
	L	326.50			

22 UA						
Description			Ø		O-Ring	Note
	A	86.60	82.55	CL.330-082-55		
	C	89.61				
	F					
	H	4.70				
	L	193.68				
XUD9, XUD9A, XUD9B						
	A	85.60	83.00	CL.330-083-00		
	C	88.50				
	F					
	H	4.00				
	L	153.50				
12J SHERPA						
	A	95.52	90.47	CL.330-090-47		
	C	99.70				
	F					
	H	5.00				
	L	191.36				
XD3, XD39						
	A	97.00	94.00	CL.330-094-00		
	C	99.50				
	F					
	H	5.00				
	L	170.60				


XD3, XD39						
Description			Ø		O-Ring	Note
	A	98.00	94.00	CL.331-094-00		
	C	100.00				
	F					
	H	5.00				
	L	170.60				
	A	98.75	94.00	CL.332-094-00		
	C	101.00				
	F					
	H	5.00				
	L	170.60				
4/98 DT, D/98 TT, D/98 TV, 6/98 E, 6/98 TV						
	A	108.20	98.00	CL.330-098-00	2	137 WN 10
	C	117.10				
	F	0.89				
	H	8.87				
	L	221.60				
4/98 DT, D/98 TT, D/98 TV, 6/98 E, 6/98 TV						
	A	108.18	100.00	CL.330-100-00	2	
	C	117.10				
	F	0.89				
	H	8.90				
	L	218.36				

TIGER CLUB, VIKING						
Description			Ø		O-Ring	Note
	A	111.30	107.21	CL.240-107-21		
	C	113.00				
	F	1.00				
	H	4.50				
	L	240.00				
KT 191						
	A	136.10	130.00	CL.240-130-00		
	C	143.60				
	F					
	H	10.05				
	L	288.30				





ST SERIES					
Description		Ø		O-Ring	Note
	A	104.68	95.25	CL.120-095-25	
	C	114.30			
	F	5.56			
	H	148.82			
	L	188.70			
ST SERIES					
	A	121.50	114.30	CL.120-114-30	
	C	123.00			
	F				
	H	8.00			
	L	251.00			





D 0224, D 0226						
Description			Ø		O-Ring	Note
	A	106.00	102.00	CL.140-102-00		227 WT 36
	C	111.00				
	F					
	H	8.05				
	L	217.00				
	A	106.50	102.00	CL.141-102-00		227 WT 57
	C	111.00				
	F					
	H	8.05				
	L	217.00				
D 0824, D 0826, D 0834, D 0836, D 0846, D 0826						
	A	111.50	108.00	CL.140-108-00		227 WT 39
	C	116.00				
	F					
	H	4.10				
	L	217.00				
	A	112.00	108.00	CL.141-108-00		227 WT 49
	C	116.00				
	F					
	H	4.10				
	L	217.00				






D 0824, D 0826, D 0834, D 0836, D 0846, D 0826

Description		Ø		O-Ring	Note
	A	111.60	108.00	CL.142-108-00	227 WT 53
	C	116.00			
	F				
	H	4.10			
	L	217.00			


D10UT, D2146, D2156

	A	126.00	121.00	CL.140-121-00	227 WT 44
	C	132.00			
	F				
	H	8.06			
	L	287.00			
	A	126.10	121.00	CL.141-121-00	227 WT 45
	C	132.00			
	F				
	H	8.06			
	L	287.00			
	A	126.25	121.00	CL.142-121-00	227 WT 46
	C	132.00			
	F				
	H	8.06			
	L	287.00			
	A	126.50	121.00	CL.143-121-00	227 WT 47
	C	132.00			
	F				
	H	8.06			
	L	287.00			




D10UT, D2146, D2156						
Description			Ø		O-Ring	Note
	A	127.00	121.00	CL.144-121-00		227 WT 48
	C	132.00				
	F					
	H	8.25				
	L	287.00				
D 2356						
	A	126.00	123.00	CL.140-123-00		227 WT 19
	C	132.00				
	F					
	H	8.05				
	L	287.00				
	A	126.50	123.00	CL.141-123-00		227 WT 20
	C	132.00				
	F					
	H	8.05				
	L	287.00				
	A	127.00	123.00	CL.142-123-00		227 WT 21
	C	132.00				
	F					
	H	8.05				
	L	287.00				


Description					O-Ring	Note
	A	140.00	125.00	CL.140-125-00	4	227 WN 30
	C	152.00				
	F	1.00				
	H	10.05				
	L	253.00				
	A	144.50	125.00	CL.141-125-00	4	227 WN 40
	C	153.80				
	F	1.00				
	H	10.07				
	L	253.00				
	A	140.00	125.00	CL.142-125-00	4	227 WN 32
	C	152.00				
	F	1.00				
	H	10.05				
	L	270.00				
	A	140.00	125.00	CL.143-125-00	4	227 WN 33
	C	152.00				
	F	1.00				
	H	10.55				
	L	270.00				
	A	140.50	125.00	CL.144-125-00	4	227 WN 58
	C	152.50				
	F	1.00				
	H	10.05				
	L	270.00				




D 2530, D 2538, D 2540, D 2542, D 2548, D 2555, D 2556, D 2565, D 2566





Description			Ø		O-Ring	Note
	A	140.00	125.00	CL.145-125-00	4	227 WN 60
	C	152.00				
	F	1.00				
	H	11.55				
	L	270.00				






D 2840, D 2842, D2848, D 2865, D 2866, D 2876, E 2842, E 2866, E 2876, G 2866, G 2876






	A	144.50	128.00	CL.140-128-00	4	227 WN 34
	C	153.80				
	F	1.00				
	H	10.05				
	L	253.00				
	A	145.00	128.00	CL.141-128-00	4	227 WN 35
	C	154.30				
	F	1.00				
	H	10.05				
	L	253.00				
	A	144.50	128.00	CL.142-128-00	4	227 WN 37
	C	153.80				
	F	1.00				
	H	10.07				
	L	270.00				






D 3650						
Description			Ø		O-Ring	Note
	A	144.00	136.00	CL.140-136-00		
	C	150.00				
	F					
	H	10.00				
	L	330.00				






F2, R2, RF					
Description		Ø		O-Ring	Note
	A 89.10	86.00	CL.380-086-00		
	C 92.00				
	F				
	H 5.00				
	L 165.00				
	A 89.50	86.00	CL.381-086-00		627 WV 01
	C 91.50				
	F				
	H 5.00				
	L 164.00				
SL1, SL2					
	A 103.50	100.00	CL.380-100-00		
	C 108.00				
	F 1.00				
	H 2.50				
	L 193.70				





OM314, OM352, OM364, OM366						
Description			Ø		O-Ring	Note
	A	100.00	97.00	CL.030-097-00 SF		
	C	103.00				
	F					
	H	5.10				
	L	222.00				
	R					
	A	100.40	97.00	CL.031-097-00 SF		004 WV 09
	C	103.50				
	F					
	H	5.10				
	L	222.00				
	R					
	A	101.00	97.00	CL.032-097-00 SF		004 WV 08
	C	104.00				
	F					
	H	5.20				
	L	222.00				
	R					
	A	101.50	97.00	CL.033-097-00 SF		
	C	104.50				
	F					
	H	5.50				
	L	222.00				
	R					





OM314, OM352, OM364, OM366						
Description			Ø		O-Ring	Note
	A	102.00	97.00	CL.034-097-00 SF		
	C	105.00				
	F					
	H	5.50				
	L	222.00				
	R					
	A	102.50	97.00	CL.035-097-00 SF		
	C	105.50				
	F					
	H	5.50				
	L	222.00				
	R					
	A	103.00	97.00	CL.036-097-00 SF		004 WV 13
	C	106.00				
	F					
	H	5.20				
	L	222.00				
	R					
OM904, 906						
	A	106.00	102.00	CL.030-102-00 SF		004 WV 18
	C	109.50				
	F					
	H	6.20				
	L	220.00				
	R					
	A	107.00	102.00	CL.031-102-00 SF		
	C	111.00				
	F					
	H	6.20				
	L	220.00				
	R					



OM360						
Description			Ø		O-Ring	Note
	A	120.00	115.00	CL.030-115-00 SF		005 WV 03
	C	125.00				
	F					
	H	5.50				
	L	253.50				
	R					
	A	121.00	115.00	CL.031-115-00 SF		
	C	126.00				
	F					
	H	5.50				
	L	253.50				
	R					
	A	122.00	115.00	CL.032-115-00 SF		
	C	127.00				
	F					
	H	5.50				
	L	253.50				
	R					
OM401, 402, 403, 404, 407, 409						
	A	140.00	125.00	CL.030-125-00	4	003 WN 14
	C	152.00				
	F	1.00				
	H	10.07				
	L	253.00				
	R					
	A	140.00	125.00	CL.031-125-00	4	003 WN 18
	C	152.00				
	F	10.57				
	H	253.00				
	L					
	R					





OM401, 402, 403, 404, 407, 409						
Description			Ø		O-Ring	Note
	A	144.50	125.00	CL.032-125-00	4	003 WN 24
	C	153.80				
	F	1.00				
	H	9.92				
	L	253.00				
	R					
	A	140.00	125.00	CL.033-125-00	4	003 WN 16
	C	152.00				
	F	1.00				
	H	10.07				
	L	265.00				
	R					
	A	140.00	125.00	CL.034-125-00	4	003 WN 19
	C	152.00				
	F	1.00				
	H	10.57				
	L	265.00				
	R					
OM355, OM355A						
	A	133.50	128.00	CL.030-128-00 SF		003 WV 09
	C	137.50				
	F					
	H	5.50				
	L	287.50				
	R					
	A	134.00	128.00	CL.031-128-00 SF		003 WV 07
	C	137.50				
	F					
	H	5.50				
	L	287.50				
	R					






Description					O-Ring	Note
	A	144.50	128.00	CL.032-128-00	4	003 WN 26
	C	153.80				
	F	1.00				
	H	9.92				
	L	270.00				
	R					
	A	144.50	128.00	CL.033-128-00	4	003 WN 29
	C	153.80				
	F	1.00				
	H	10.42				
	L	270.00				
	R					
	A	144.50	128.00	CL.034-128-00	4	003 WN 15
	C	153.80				
	F	1.00				
	H	10.07				
	L	253.00				
	R					
	A	144.50	128.00	CL.035-128-00	4	003 WN 25
	C	153.80				
	F	1.00				
	H	9.92				
	L	253.00				
	R					
	A	144.50	128.00	CL.036-128-00	4	003 WN 28
	C	153.80				
	F	1.00				
	H	10.42				
	L	253.00				
	R					



OM421, OM422, OM423, OM424, OM427, OM429						
Description			Ø		O-Ring	Note
	A	144.50	128.00	CL.037-128-00	3	001 WN 21
	C	155.50				
	F	1.10				
	H	10.12				
	L	266.00				
	R					
OM441, OM442, OM444, OM501, OM502, OM941. OM942						
	A	144.50	130.00	CL.030-130-00	4	003 WN 23
	C	153.80				
	F	1.00				
	H	9.92				
	L	253.00				
	R					
	A	150.00	130.00	CL.031-130-00	3	003 WN 37
	C	164.00				
	F	1.15				
	H	10.12				
	L	258.00				
	R					
	A	150.00	130.00	CL.032-130-00	3	003 WN 38
	C	164.00				
	F	1.15				
	H	10.12				
	L	258.00				
	R					





4D56					
Description				O-Ring	Note
	A	94.15	91.10	CL.390-091-10	
	C	96.00			
	F				
	H	5.00			
	L	165.00			
4D31					
	A	104.10	100.00	CL.390-100-00	
	C	107.00			
	F				
	H	5.00			
	L	192.00			
S6KT					
	A	106.10	102.00	CL.390-102-00	
	C	109.00			
	F				
	H	5.00			
	L	195.60			
S6KT					
	A	107.10	104.00	CL.390-104-00	
	C	110.00			
	F				
	H	5.00			
	L	192.00			



8DC9						
Description			Ø		O-Ring	Note
	A	154.00	135.00	CL.390-135-00		
	C	162.50				
	F					
	H	11.80				
	L	259.60				
8DC11						
	A	155.10	142.00	CL.390-142-00		
	C	166.60				
	F					
	H	11.80				
	L	259.60				




D 202, D 208, D 225, D 308, D 325, D 925						
Description			Ø		O-Ring	Note
	A	105.95	95.00	CL.400-095-00	2	151 WN 07
	C	114.00				
	F					
	H	8.00				
	L	212.00				
	A	105.95	95.00	CL.401-095-00		151 WR 09
	C	101.00				
	F	5.30				
	H	131.00				
	L	212.00				
D 227, D 303, D 327, D 917						
	A	112.90	100.00	CL.400-100-00		151 WN 14
	C	119.00				
	F	0.50				
	H	8.00				
	L	212.00				
D 229, D 893, D 993, TD 229						
	A	113.00	102.00	CL.400-102-00		151 WN 29
	C	119.00				
	F	1.00				
	H	8.00				
	L	213.00				





D 226, D 916, TD 226						
Description			Ø		O-Ring	Note
	A	108.00	105.00	CL.400-105-00		151 WT 25
	C	111.80				
	F					
	H	6.00				
	L	214.00				
	A	108.50	105.00	CL.401-105-00		151 WT 31
	C	112.30				
	F					
	H	6.00				
	L	214.00				
	A	115.00	105.00	CL.402-105-00	4	151 WN 27
	C	123.00				
	F	1.00				
	H	8.00				
	L	213.00				
TBD 232, TD 232						
	A	137.00	120.00	CL.400-120-00	3	151 WN 17
	C	146.00				
	F					
	H	9.60				
	L	265.00				
	A	136.90	120.00	CL.401-120-00	2	151 WN 22
	C	146.00				
	F	1.10				
	H	8.20				
	L	265.00				

TBD 234						
Description			Ø		O-Ring	Note
	A	144.00	128.00	CL.400-128-00	2	151 WN 23
	C	156.00				
	F	1.30				
	H	8.00				
	L	265.20				
RHS 418, RHS 518, TRHS 518						
	A	152.00	140.00	CL.400-140-00	3	151 WN 19
	C	166.00				
	F					
	H	70.00				
	L	330.00				






SD 23						
Description			Ø		O-Ring	Note
	A	92.00	89.00	CL.410-089-00		640 WV 09
	C	98.00				
	F					
	H	5.00				
	L	160.00				
	A	92.10	89.00	CL.411-089-00		
	C	98.00				
	F					
	H	5.00				
	L	160.00				
TD 25						
	A	96.00	92.90	CL.410-092-90		640 WV 10
	C	102.00				
	F					
	H	5.00				
	L	161.00				
A 4.28						
	A	97.67	94.00	CL.410-094-00		640 WV 02
	C	103.50				
	F	1.00				
	H	7.00				
	L	190.20				






A 4.28					
Description		Ø		O-Ring	Note
	A	97.98	94.00	CL.411-094-00	640 WV 14
	C	103.90			
	F	1.00			
	H	7.00			
	L	191.30			
B 4.40, B 6.60					
	A	104.26	100.00	CL.410-100-00	640 WV 03
	C	110.00			
	F	1.00			
	H	7.50			
	L	226.00			





COMET 9020, 9040					
Description		Ø		O-Ring	Note
	A	111.30	107.21	CL.420-107-21	623 WT 04
	C	112.70			
	F	1.00			
	H	4.40			
	L	239.57			
9105/11					
	A	131.00	120.00	CL.420-120-00	3
	C	146.00			623 WN 51
	F	3.00			
	H	54.20			
	L	313.20			
96 R 11 EX					
	A	146.00	130.00	CL.420-130-00	3
	C	161.00			
	F	3.00			
	H	54.21			
	L	306.75			





4.108,			Ø		O-Ring	Note
	A	82.55	79.37	CL.050-079-37		043 WV 04
	C					
	F					
	H					
	L	165.10				
	A	82.60	79.37	CL.051-079-37		
	C					
	F					
	H					
	L	165.10				
	A	83.00	79.37	CL.052-079-37		
	C					
	F					
	H					
	L	165.10				
4.192, 6.288						
	A	93.71	88.90	CL.050-088-90		
	C	94.41				
	F					
	H	4.76				
	L	216.03				

3.152, 4.203, 6.305





Description			Ø		O-Ring	Note
	A	93.75	91.49	CL.050-091-49		
	C	96.75				
	F					
	H	5.00				
	L	216.00				
	A	94.50	91.49	CL.051-091-49		
	C	97.00				
	F					
	H	5.00				
	L	216.00				
	A	95.00	91.49	CL.052-091-49		
	C	97.50				
	F					
	H	5.00				
	L	216.00				
	A	96.00	91.49	CL.053-091-49		
	C	98.00				
	F					
	H	5.00				
	L	216.00				
	A	96.25	91.49	CL.054-091-49		
	C	98.00				
	F					
	H	5.00				
	L	216.00				






4.165,						
Description			Ø		O-Ring	Note
	A	96.91	92.00	CL.050-092-00		043 WV 37
	C	101.00				
	F	0.68				
	H	3.88				
	L	191.18				
4.212, 4.236, 6.354						
	A	103.26	98.48	CL.050-098-48		043 WV 12
	C	106.43				
	F	0.83				
	H	3.86				
	L	227.28				
	A	103.54	98.48	CL.051-098-48		043 WV 30
	C	106.43				
	F	0.83				
	H	3.86				
	L	227.28				
	A	104.20	98.48	CL.052-098-48		043 WV 39
	C	107.36				
	F	0.83				
	H	3.86				
	L	227.28				
	A	104.26	98.48	CL.053-098-48		
	C	107.36				
	F	0.83				
	H	3.86				
	L	227.28				






1006-6, 4.40, T6.60						
Description			Ø		O-Ring	Note
	A	104.26	100.00	CL.050-100-00		043 WV 43
	C	107.45				
	F					
	H	4.00				
	L	226.50				
4.248, 6.372						
	A	104.26	101.50	CL.050-101-50		043 WV 20
	C	107.40				
	F	0.85				
	H	3.80				
	L	227.30				
PHASER 1004-42						
	A	107.10	103.00	CL.050-103-00		
	C	110.10				
	F					
	H	4.00				
	L	228.00				
1103 B-33, 1103 C-33, 1104 C-44						
	A	108.00				
	C	109.50				
	F					
	H	5.00				
	L	227.00				





712, 714						
Description			Ø		O-Ring	Note
	A	114.00	98.00	CL.440-098-00		
	C	120.90				
	F	0.70				
	H	8.00				
	L	220.70				
	A	111.95	98.00	CL.441-098-00		
	C	118.90				
	F	0.80				
	H	8.00				
	L	220.50				
720, 797, 798, MIDS 06.02.12, MIDR 06.02.26						
	A	114.00	102.00	CL.440-102-00		
	C	120.70				
	F	0.70				
	H	8.00				
	L	220.70				
	A	114.00	102.00	CL.441-102-00		
	C	121.00				
	F	0.80				
	H	8.00				
	L	235.30				






720, 797, 798, MIDS 06.02.12, MIDR 06.02.26



Description			Ø		O-Ring	Note
	A	114.00	102.00	CL.442-102-00		
	C	122.50				
	F	0.80				
	H	8.00				
	L	234.00				
	A	114.00	102.00	CL.443-102-00		
	C	122.50				
	F	0.80				
	H	8.00				
	L	218.00				
DXI 5, 7						
	A	120.00	108.00	CL.440-108-00		
	C	131.70				
	F					
	H	8.06				
	L	228.00				
MID 06.20.30, MIDR 06.20.45, MIDS 06.20.45, MIHR 06.20.45, MIPS 06.20.30						
	A	137.00	120.00	CL.440-120-00		
	C	147.30				
	F	0.85				
	H	9.28				
	L	241.00				





Description			Ø		O-Ring	Note
	A	135.00	120.00	CL.441-120-00		
	C	147.30				
	F	0.90				
	H	9.28				
	L	261.00				
	A	135.00	120.00	CL.442-120-00		
	C	147.30				
	F	0.30				
	H	9.38				
	L	261.00				
	A	137.20	120.00	CL.443-120-00		
	C	147.30				
	F	0.75				
	H	9.38				
	L	256.75				
	A	137.20	120.00	CL.444-120-00		
	C	147.30				
	F	0.90				
	H	9.35				
	L	261.00				
MIDR 06.23.56						
	A	135.20	123.00	CL.440-123-00		
	C	147.50				
	F	0.75				
	H	9.41				
	L	256.75				



MIDR 06.24.65						
Description			Ø		O-Ring	Note
	A	130.18	124.00	CL.440-124-00		
	C	139.80				
	F	0.61				
	H	103.00				
	L	279.25				
MDS 06.35.40, MIDR 06.35.40						
	A	143.00	135.00	CL.440-135-00		
	C	149.00				
	F					
	H	7.40				
	L	286.00				
	A	143.00	135.00	CL.441-135-00		
	C	147.00				
	F					
	H	7.00				
	L	286.00				
	A	143.25	135.00	CL.442-135-00		
	C	149.00				
	F					
	H	7.40				
	L	286.00				
	A	143.10	135.00	CL.443-135-00		
	C	149.00				
	F	1.05				
	H	7.65				
	L	288.25				


D5, D8						
Description			Ø		O-Ring	Ref.
	A	130.00	115.00	CL.010-115-00	3	061 WN 01
	C	137.30				
	F	0.70				
	H	8.00				
	L	271.00				
	R	19.80				
DS8, L80, LB81, L85, L86						
	A	130.00	115.00	CL.011-115-00	3	061 WN 08
	C	137.25				
	F	0.85				
	H	8.20				
	L	269.00				
	R	18.90				
D9, DS9, 94, L94						
	A	128.00	115.00	CL.012-115-00	3	061 WN 11
	C	140.70				
	F	0.80				
	H	10.30				
	L	265.50				
	R	19.00				
	A	127.70	115.00	CL.013-115-00	3	061 WN 25
	C	140.76				
	F	0.80				
	H	8.30				
	L	257.50				
	R	-				


D11, DS11, L76						
Description			Ø		O-Ring	Ref.
	A	140.00	127.00	CL.010-127-00	3	061 WN 04
	C	153.80				
	F	0.80				
	H	8.00				
	L	291.00				
	R	22.00				
D11, DS11, L76						
	A	140.00	127.00	CL.011-127-00	3	061 WN 09
	C	153.80				
	F	0.80				
	H	7.90				
	L	291.00				
	R	20.00				
R 113, P 113, T 113						
	A	140.00	127.00	CL.012-127-00	4	061 WN 14
	C	153.80				
	F	0.80				
	H	7.90				
	L	291.00				
	R	11.50				
	A	140.00	127.00	CL.013-127-00	3	061 WN 19
	C	153.86				
	F	0.80				
	H	7.92				
	L	291.00				
	R	12.50				
D12, 124						
	A	139.00	127.00	CL.014-127-00	2	061 WN 17
	C	150.00				
	F	0.85				
	H	194.27				
	L	291.10				
	R	8.25				



141, 142, T 112 E					
Description		Ø		O-Ring	Ref.
	A	139.65	127.00	CL.015-127-00	3
	C	155.86			
	F	0.40			
	H	10.07			
	L	275.50			
	R	21.00			
	A	139.65	127.00	CL.016-127-00	3
	C	155.86			
	F	0.40			
	H	10.07			
	L	275.50			
	R	11.00			
					061 WN 13
					061 WN 12





WD 308, WD 311, WD 408, WD 411, WD 611					
Description		Ø		O-Ring	Note
	A	109.40	100.00	CL.460-100-00	2
	C	118.00			
	F	1.05			
	H	9.00			
	L	197.00			
WD 610.5					
	A	110.00	105.00	CL.460-105-00	
	C	112.00			
	F				
	H	5.00			
	L	222.00			
WD 612					
	A	111.05	108.00	CL.460-108-00	321 WT 06
	C	115.50			
	F				
	H	5.00			
	L	218.00			
WD 615, WD 815, WD 1015					
	A	130.00	126.00	CL.460-126-00	321 WT 13
	C	134.30			
	F				
	H	5.00			
	L	241.00			






WD 615, WD 815, WD 1015						
Description			Ø		O-Ring	Note
	A	131.00	126.00	CL.461-126-00		
	C	134.50				
	F					
	H	5.00				
	L	241.00				
	A	132.00	126.00	CL.462-126-00		
	C	136.00				
	F					
	H	5.00				
	L	241.00				






OM314, OM352					
Description		Ø		O-Ring	Note
	A	129.00	120.00	CL.470-120-00	483 WR 01
	C	139.00			
	F				
	H	7.00			
	L	259.00			






OM314, OM352						
Description			Ø		O-Ring	Note
	A	125.00	108.00	CL.490-108-00	2	495 WN 01
	C	132.00				
	F	1.30				
	H	10.10				
	L	258.00				





VM 488, VM 588						
Description			Ø		O-Ring	Note
	A	103.00	88.00	CL.500-088-00	3	489 WN 02
	C	110.00				
	F	1.20				
	H	8.90				
	L	168.00				
HR 492, HR 692, HR 92.4, VM 425						
	A	101.50	92.00	CL.501-092-00	4	
	C	110.00				
	F	1.20				
	H	8.90				
	L	166.80				




TD60, TD61, TD63, D6						
Description			Ø		O-Ring	Ref.
	A	110.00	98.43	CL.020-098-43	3	037 WN 07
	C	119.10				
	F	0.73				
	H	11.61				
	L	234.50				
	R	15.50				
	A	110.00	98.43	CL.021-098-43	4	037 WN 27
	C	119.10				
	F	3.60				
	H	9.66				
	L	237.40				
	R	20.90				
	A	110.00	98.43	CL.022-098-43	4	037 WN 47
	C	119.10				
	F	3.60				
	H	9.66				
	L	237.40				
	R	8.55				
	A	110.00	98.43	CL-023-098-43	4	037 WN 38
	C	119.10				
	F	0.93				
	H	9.41				
	L	234.50				
	R					




TD70, TD70 G, TD70 F, TD73						
Description			Ø		O-Ring	Ref.
	A	117.00	104.77	CL.020-104-77	3	037 WN 11
	C	127.00				
	F	0.74				
	H	11.66				
	L	257.00				
	R	18.00				
	A	117.00	104.77	CL.021-104-77	4	037 WN 26
	C	127.00				
	F	3.60				
	H	9.66				
	L	259.50				
	R	20.00				
	A	117.00	104.77	CL.022-104-77	4	037 WN 37
	C	127.00				
	F	3.60				
	H	9.66				
	L	259.70				
	R	12.00				
	A	117.00	104.77	CL.023-104-77	4	037 WN 42
	C	129.40				
	F	3.60				
	H	9.66				
	L	259.70				
	R					
	A	117.00	104.77	CL.024-104-77	4	037 WN 49
	C	129.40				
	F	0.95				
	H	9.40				
	L	256.80				
	R					

D7						
Description			Ø		O-Ring	Ref.
	A	117.00	107.00	CL.020-107-00	4	037 WN 52
	C	129.40				
	F	0.95				
	H	9.40				
	L	256.80				
	R					
D9						
	A	139.00	120.00	CL.020-120-00	3	037 WN 50
	C	149.00				
	F	0.85				
	H	11.25				
	L	249.55				
	R					
TD100, TD101, TD102, TD103						
	A	134.00	120.64	CL.020-120-64	3	037 WN 18
	C	147.00				
	F	0.80				
	H	11.77				
	L	294.00				
	R	25.50				
	A	134.00	120.64	CL.024-120-64	3	037 WN 21
	C	147.00				
	F	0.80				
	H	11.74				
	L	294.00				
	R	25.50				
	A	134.00	120.64	CL.021-120-64	3	037 WN 34
	C	147.00				
	F	3.48				
	H	11.52				
	L	296.00				
	R					

TD100, TD101, TD102, TD103						
Description			Ø		O-Ring	Ref.
	A	134.00	120.64	CL.022-120-64	3	037 WN 29
	C	147.00				
	F	3.50				
	H	11.52				
	L	287.50				
	R					
	A	134.00	120.64	CL.023-120-64	2	037 WN 39
	C	147.00				
	F	3.50				
	H	11.52				
	L	287.50				
	R	15.00				
TD120, TD121, TD122, TD123						
	A	144.00	130.18	CL.020-130-18	4	037 WN 22
	C	157.60				
	F	0.70				
	H	13.52				
	L	311.00				
	R	25.00				
	A	144.00	130.18	CL.021-130-18	4	037 WN 25
	C	157.60				
	F	0.70				
	H	10.52				
	L	311.00				
	R	18.00				
	A	144.00	130.18	CL.022-130-18	4	037 WN 30
	C	157.60				
	F	3.28				
	H	10.52				
	L	313.50				
	R	18.00				

TD120, TD121, TD122, TD123						
Description			Ø		O-Ring	Ref.
	A	144.00	130.18	CL.023-130-18	4	037 WN 51
	C	157.60				
	F	3.28				
	H	10.52				
	L	313.50				
	R					
FH12, D12						
	A	144.00	131.00	CL.020-131-00	4	037 WN 48
	C	159.60				
	F	0.90				
	H	11.20				
	L	272.80				
	R					
	A	143.90	131.00	CL.021-131-00	4	037 WN 35
	C	159.60				
	F	4.45				
	H	11.20				
	L	276.40				
	R					
F16, TD160, TD161, TD162, TD163						
	A	158.90	144.00	CL.020-144-00	5	037 WN 36
	C	172.00				
	F	2.00				
	H	13.09				
	L	315.00				
	R					

F16, TD160, TD161, TD162, TD163						
Description			Ø		O-Ring	Ref.
	A	158.90	144.00	CL.021-144-00	5	037 WN 28
	C	172.00				
	F	2.00				
	H	13.09				
	L	315.00				
	R	16.00				
	A	158.96	144.00	CL.022-144-00	5	037 WN 45
	C	172.00				
	F	2.00				
	H	13.10				
	L	315.00				
	R	15.00				
	A	158.95	144.00	CL.023-144-00	5	037 WN 32
	C	172.00				
	F	2.00				
	H	13.08				
	L	316.00				
	R	17.00				

2001, 3001, 4011, 5501						
Description			Ø		O-Ring	Note
	A	111.00	95.00	CL.510-095-00	2	595 WN 01
	C	122.00				
	F	0.50				
	H	10.06				
	L	210.00				
4901, 5201, 7201						
	A	116.00	102.00	CL.510-102-00	2	595 WN 04
	C	124.00				
	F	0.70				
	H	10.07				
	L	225.00				
8001, 8601, 7604, 8703, GM 01, GZ 01						
	A	127.00	110.00	CL.510-110-00	2	595 WN 03
	C	136.00				
	F	0.70				
	H	10.07				
	L	233.70				

IMPORTANT

Reproduction of this catalogue or parts thereof is only allowed with our explicit permission in writing. Pictorial representation and design are copyrighted. Claims for damages, of any form whatsoever, resulting from details made in this catalogue or from incorrect use, application, storage or handling, are explicitly excluded. Contractual rights and any resulting or related claims based thereon, irrespective of form, initially come into being on the basis of a separate written agreement, in particular on the basis of our general terms of sale and delivery.

All former statements lose their validity with the publication of this catalogue.

The catalogue is not an operating manual for the use and installation. It does not contain any advice in a legal sense. The catalogue neither replaces the constantly applicable technical regulations – particularly for tolerances – nor the installation and maintenance stipulations of the individual engine manufacturer.

The contents of the catalogue are not intended to create or substitute any contractual agreement which has to be reserved exclusively to separate agreement between two identified parties, whereby seller can be only one of our AVMA diesel ware entities as mentioned on the back cover.

The right is retained to correct errors and alternations, particularly with regard to amendment in the engine manufacturers' details and stipulations.

Although we make every effort to utilize all the latest information, with such a vast range of vehicle models and engines on the market we cannot guarantee that our supply program will cover every single engine version. Neither is there any safeguard against engine manufacturers making changes to engines during production that go unnoticed or only come to our attention after going to press. We therefore accept no liability for the accuracy of the information in this catalogue. It is vital, before installing any of our products, to check whether the part offered in the catalogue is suitable for the intended purpose. To assist you, we provide specifications of the materials used for our production and their dimensions. If in doubt, consult the engine manufacturer.

In your own interests please note that the installation of unsuitable spare parts can cause engine damage for which you as the repairers are liable to your customers.

NOTES

CYLINDER LINERS

CATALOGUE CLO1
2013-2014



manufactured under license
AVMA DIESELWARES
registered trademark of
AVMA diesel wares **GERMANY**

